unitech MS337H Rugged Healthcare Scanner



The Unitech MS337H is a rugged handheld scanner designed specifically for healthcare. This CMOS 2D imager scanner is constructed with an antimicrobial enclosure to provide healthcare professionals with a barcode scanning solution ideally suited for use at the point of care.

Increase Accuracy and Efficiency

The MS337H increases accuracy and efficiency by reducing the likelihood of human errors from manual entry. Featuring true omni-directional 2D area scanning technology with a high-resolution image sensor and wide-angle lens, the MS337H allows for accurate reading of damaged or curved barcodes - perfect for scanning patient identification bracelets and medication labels. This scanning technology reduces the paperwork burden, enabling healthcare professionals more time interacting with patients and providing higher-quality care.

Focused on Patient Safety

The MS337H is constructed with a durable antimicrobial housing. Capable of withstanding multiple 5-foot drops to concrete, the MS337H is rugged enough for any healthcare application. While standard clinical procedures require cleaning and disinfection for any devices used at the point of care, the MS337H's antimicrobial housing provides an added safeguard against the proliferation and spread of germs.

Easy Integration

Infrastructures are complex, difficult to maintain and expensive. It is important to invest in a barcode solution that is easily integrated into existing systems and user workflows. The MS337H offers unparalleled flexibility for customization and easy configuration with its PC-based software. Unitech also provides easy firmware upgrades and comprehensive support and service packages.

Versatile Technology

The MS337H features aggressive decoding capability for the most comprehensive set of barcode symbologies. This versatile scanner is ideal for hands-free applications, allowing healthcare professionals the opportunity to focus less on scanning and more on providing patients with quality care. Well suited for indoor or outdoor applications, the MS337H has the ability to scan in direct sunlight or total darkness. The MS337H is the ideal healthcare barcode scanning solution for patient safety, clinical care delivery and patient tracking

Features

- · Antimicrobial housing
- 5-foot drop threshold
- 1.2MP CMOS image sensor
- 1D, 2D and OCR (optional)
- Supports USB interface
- Supports 3 5.5 VDC power input
- Image transfer (beta software available)
- FirstFlash[™] with integrated illuminationSwiftDecoder[™]

unitech

MS337H

Operational

Image sensor Decode Capability Illumination Aiming

CMOS, 1.23 mega pixel All standard 1D and 2D symbologies 650 nm LED 615 nm LED

100 mm (L) x 70 mm (W) x 180 mm (H)

200 g w/o cable, 300 g with cble

 $0^{\circ}C = 40^{\circ}C (22^{\circ}E = 104^{\circ}E)$

Scan Performance Depth of Field

Width of Scan Field

Minimum Element

Resolution Print Contrast Scan Pattern Focal Point View Angles

25 mm - 310 mm, (1 - 12.2") for 100% UPC

118 mm (w) x 86 mm (h) (4.7" w x 3.5" h) @ 127mm (5"); 237 mm (w) x 172 mm (h) (9.3" w x 6.8" h) @ 254 mm (10") from engine face

Width, 1D 0.102 mm (4 mil) Width, 2D 0.191 mm (7.5 mil), Data Matrix

1280 x 960 pixels 20% minimum reflectance difference Area 100 mm (3.94") from the imager face

50° (horizontal), 37.5° (vertical)

Environmental

Mechanical

Dimensions


Weight

Operating Temperature Storage Temp Humidity Light Levels

Shock Drop


emperature	$0^{-0} \sim 40^{-0} (32^{-F} \sim 104^{-F})$
perature	$-20^{\rm o}C \sim 70^{\rm o}C \; (-4^{\rm o}F \sim 158^{\rm o}F)$
	0% - 95% relative humidity,
	non-condensing
	0 - 100,000 lux
	(total darkness - direct sunlight)
	7 G over 10 - 500 Hz
	Designed to whistand repeated 1.5 m $(5')$
	drops to concrete floors when mounted
	inside a scanner case.

Scan Ranges



Bar Code Minimum Element

0.127 mm (5 mil) 1D 0.254 mm (10 mil) 1D 0.330 mm (13 mil) 1D 0.127 mm (5 mil) PDF 0.254 mm (10 mil) PDF 0.254 mm (10 mil) DataMatrix 0.381 mm (15 mil) DataMatrix 0.508 mm (20 mil) DataMatrix OCR-B (size 1; MRZ)





Unitech America Los Angeles, Houston, Guadalajara http://www.ute.com e-mail: inquiry@ute.com http://latin.unitech-adc.com e-mail: info@latin.ute.com

Unitech Asia Pacific & Middle East Taipei

http://www.unitech-utp.com.tw e-mail: aidcsales@tw.ute.com

Unitech Japan Tokyo

http://www.unitech-japan.co.jp e-mail: sales@unitech-japan.co.jp

Unitech Europe

Tilburg / Netherlands http://www.unitech-europe.com e-mail: sales@unitech-europe.com

Unitech Greater China

Beijing, Shanghai, Guang Zhou, Xiamen http://www.ute.com.cn http://www.ute http://www.ute.cn unitech@cn.ute.com Taipei http://adc-utt.unitech.com.tw barcode@tw.ute.com

Head Office Taipei

http://www.unitech-adc.com e-mail: marketing@tw.ute.com

Specifications subject to change without notice. Copyright 2008 Unitech Electronics Co., Ltd. All rights reserved. Unitech is a registered trademark of Unitech Electronics Co., Ltd. All product and company names are trademarks, service marks, or registered trademarks of their respective owners